

WHAT IS CLAIMED IS:

1. An input device for use with a system operable to process an electronic communication comprising:
a function button operably associated with
5 selecting a specific electronic communication function;
and
an identification key operable to identify the
input device in response to a user selecting the function
button.
- 10 2. The device of Claim 1, further comprising
memory operable to store the identification key.
3. The device of Claim 2, wherein the memory may
15 be periodically updated to include a new identification
key.
4. The device of Claim 1, wherein the
identification key comprises a user password.
- 20 5. The device of Claim 1, wherein the electronic
communication function comprises a send button.
6. The device of Claim 1, wherein the electronic
25 communication function comprises a forward button.
7. The device of Claim 1, further comprising a
keyboard.

9. The device of Claim 1, further comprising the
5 function button operably associated with selecting an
email function.

[illegible]

062891.0489

21

10. A method for providing an identifier for processing an electronic communication comprising:

receiving a request via an input device to process the electronic communication;

5 determining an identification key operable to identify the input device; and

processing the electronic communication using the requesting process upon validating the identification key.

10

11. The method of Claim 10, further comprising:

accessing a portion of memory to determine the identification key;

15 receiving the identification key from the input device; and

comparing the received identification key to a the stored identification key to determine if the input is valid.

20

12. The method of Claim 10, further comprising:

receiving the request via a port operably associated with the input device;

receiving the identification key from the input device; and

25 verifying the request and the identification key.

13. The method of Claim 10, further comprising:

062891.0489

22

quarantining the electronic communication if
the identification key is not valid; and
notifying a user of the quarantined electronic
communication.

5

14. The method of Claim 10, further comprising:
determining if the request originated from the
input device; and
processing the request if the input originated
at the input device.

10

15. The method of Claim 10, further comprising:
determining an identification key for the input
device; and
storing the identification key within a memory
associated with the input device.

15

16. The method of Claim 10, further comprising:
determining an electronic communication process
associated with the input device; and
associating the function with one or more
buttons associated with the input device.

20

17. The method of Claim 16, further comprising
receiving an input from a user to select the one or more
function buttons.

25

18. The method of Claim 10, further comprising displaying a function button within a user interface associated with the input device.

- 5 19. The method of Claim 10, further comprising associating an encrypted device identifier within the electronic communication upon processing the electronic communication.

062891.0489

20. A system operably associated with processing an electronic communication in the form of an email comprising:

5 a processor operable to process the email;
memory operably coupled to the processor; and
an input device operably coupled to the processor, the processor operable to validate a user request via the input device to process an email.

10 21. The system of Claim 20, wherein the input device comprises a keyboard including a identification key operable to identify a user request via the keyboard to process the email.

15 22. The system of Claim 21, wherein the keyboard comprises memory operable to store the identification key.

20 23. The system of Claim 20, further comprising a pointing device including an identification key operable to identify a user request via the pointing device to process the email.

25 24. The system of Claim 20, further comprising a graphical user interface operable to display an email software program.

062891.0489

25

25. A method for processing an electronic communication in the form of email using a system comprising:

5 determining an input device operably coupled to the system;

determining an identification key operably associated with the input device; and

10 processing an email upon receiving a valid request from the input device to process the email.

26. The method of Claim 25, further comprising:

15 determining a function button operably associated with the input device; and receiving an input to process the email via a user selecting the function button.

27. The method of Claim 25, further comprising:

20 receiving an input from the input device to process the email; verifying the input device is valid; and processing the email based on the verification.

28. The method of Claim 27, further comprising
25 processing the email using a function associated with the requested process upon the input device being valid.

29. The method of Claim 28, further comprising associating an encrypted identifier with the email.

062891.0489

26

30. The method of Claim 28, further comprising:
quarantining the email upon the input device
determining the input device is not valid; and
5 notifying a user of the quarantined email.

0052434360

31. An input device for use with a system operable to process an electronic communication comprising:

means for receiving a request via an input device to process an electronic communication;

5 means for determining an identification key operable to identify the input device; and

means for processing the email using the requesting process upon validating the identification key.

10

32. The input device of Claim 31, further comprising:

means for accessing a portion of memory determine the identification key;

15 means for receiving the identification key from the input device; and

means for comparing the received identification key to a the stored identification key to determine if the input is valid.

20

33. The method of Claim 31, further comprising:

means for receiving a request via a port operably associated with the input device;

25 means for receiving the identification key from the input device; and

means for verifying the request and the identification key.

062891.0489

28

34. A medium including encoded logic for processing electronic communications comprising the logic operable to:

5 determine an input device operably coupled to the system;

 determine an identification key operably associated with the input device; and

10 process an electronic communication upon receiving a valid request from the input device to process the email.

35. The medium as recited in Claim 34, further comprising the logic operable to:

15 determine a function button operably associated with the input device; and

 receive an input to process the email via a user selecting the function button.

36. The medium as recited in Claim 35, further comprising the logic operable to:

20 receive an input from the input device to process the email;

 verify the input device is valid; and

25 process the electronic communication based on the verification.

37. The medium as recited in Claim 35, further comprising the logic operable to process the electronic

062891.0489

29

communication using a function associated with the
requested process upon the input device being valid.

062891.0489